# Department of Defense Standardization Program



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

15 March 2010

(For the Period 1 March 2010 to 14 March 2010)

#### ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at http://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="http://assist.daps.dla.mil/online/news/AlertService.htm">http://assist.daps.dla.mil/online/news/AlertService.htm</a>.

# **ASSIST UPDATE**

_	CITYLDLCTION	ABBIST CIDATE					
z			DISTRIBUTION				
LAST ACTION			ĭ			>	
IJ			ΣŢ	EA		ACTY	
Ā			2	<u> </u>		¥	
ST			Ë	5	Ą	EP	
Ľ	DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC/AREA	MCA	PREP	DATE
_	PIA-PS70085	Clevis, Tiedown, Air Delivery Type II [CUST: GL MC 99 GS8] [REVIEW: 11 71 AV]	Ā	1670	_	GS8	09-SEP-1999
					,		
	A-A-59488A	Decking, Synthetic [CUST: SH]	A		/	SH	05-FEB-2010
M	MIL-DTL-62164E	Semitrailer, Lowbed, Heavy Equipment Transporter, 60-Ton, M747 [CUST: AT]	A	2330		AT	03-MAR-2010
M	A-A-50691C	Truck, Aircraft Baggage Loading-Unloading [CUST: 84] [REVIEW: 99 IS]	A	3930	/	84	18-FEB-2010
M	A-A-58081B	Truck, Lift, Fork, Electric, Front/Side Loading, Sit-Down Operator, 4,000 Pound Capacity, EE Rated	A	3930	/	84	18-FEB-2010
		[CUSŤ: AŤ SA 84] [REVÍEW: IS]					
M	A-A-58087B	Truck, Lift, Fork, Electric, Narrow Aisle Reach, Stand-Up Operator, 3,000 Pounds Capacity at 24	A	3930	/	84	12-MAR-2010
		Inch Load Center, 205 Inch Minimum Lift [CUST: AT SA 84] [REVIEW: 99 IS]					
м	MS9095B	Nipple, Tube - Aluminum, Boss [CUST: AV AS 99 CC] [REVIEW: 71 85 MC]	Α	4730		CC	16-FEB-2010
	MS9193A	Nipple, Tube - SAE-AMS5639, Boss [CUST: MI AS CC] [REVIEW: SA]		4730		CC	16-FEB-2010
1		1 ** '					
	MS9197D	Nut, Tube Coupling-Cres SAE-AMS5646, Silver Plate [CUST: AS 99 CC] [REVIEW: 71 MC]	A			CC	16-FEB-2010
	MS9198D	Nut, Tube Coupling-Cres SAE-AMS5646 [CUST: MI AS 99 CC] [REVIEW: 71 MC]	A			CC	12-FEB-2010
M	MS9313B	Cap, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	16-FEB-2010
M	MS9314C	Cap Assembly, Tube - SAE-AMS5646 [CUST: AS 99 CC] [REVIEW: 71]	Α	4730		CC	16-FEB-2010
	MS9315C	Cap Assembly, Tube - SAE-AMS5646, Silver Plated Nut [CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	16-FEB-2010
l	AN818 REV 20	Nut, Tube Coupling, Short [CUST: AS 99 CC] [REVIEW: 71 AV CR4]	A	4730		CC	16-FEB-2010
M	AN929 REV 12	Cap, Assembly, Pressure Seal, Flared Tube Fitting [CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	16-FEB-2010
M	MIL-PRF-8805/74L(1)	Switches, Sensitive, SPDT, 4 Amperes, Hermetic Seal [CUST: CR EC 85 CC] [REVIEW: 19 99 AR	A	5930		CC	01-MAR-2010
		AS AV MC MI OS SH]					
M	MIL-DTL-3786/39E	Switch, Rotary, Closed Construction, Explosion Proof, 400 Milliamperes, Style SR39 [CUST: CR	A	5930		CC	01-MAR-2010
Ī		EC 85 CC]				-	
м	MIL-DTL-9395/39D	Switches, Pressure, (Gauge) Type II, Low Level to 5 Amperes [CUST: CR EC 85 CC]	A	5930		CC	01-MAR-2010
IVI	MIL-PRF-31031/43(1)	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Right	A	5935		CC	18-FEB-2010
1		Angle, Pin Contact, for Semirigid Cable [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]					
١.,	NOT DET 55000 (51 G(1))	1	١.	5025		00	00 EED 2010
M	MIL-DTL-55302/61G(1)	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, Decade Increments 10	A	5935		CC	08-FEB-2010
		thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, and 66 for					
		Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV					
l		CR4 MC MI OS]	١.				
M	MIL-DTL-55302/119H(1)	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Decade Increment 20	A	5935		CC	08-FEB-2010
		Through 110 and 128 Contact Positions, For Printed Wiring Boards (.050 Spacing) [CUST: 85 CC]					
		[REVIEW: 19]					
M	MIL-DTL-55302/169B(1)	Connectors, Printed Circuit Subassembly and Accessories: Low Mating Force, Female Brush,	A	5935		CC	08-FEB-2010
		Straight-Through, Polarized, (.100 Spacing) [CUST: 85 CC] [REVIEW: 19 99]					
М	MIL-DTL-55302/170B(1)	Connectors, Printed Circuit Subassembly and Accessories: Low Mating Force, Female Brush, Right	A	5935		CC	08-FEB-2010
	1111 B 12 00002/1/0B(1)	Angle, Polarized, For Multilayered Printed Wiring Board (.100 Spacing) [CUST: 85 CC] [REVIEW:	• •	0,00		-	00 122 2010
		19 99]					
м	MIL-PRF-83536/33B	Relays, Electromagnetic, Established Reliability, 3PDT, 25 Amperes (Resistive), Permanent Magnet	A	5945		CC	08-MAR-2010
1,11	MIL 110 03330/33B	Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coil [CUST: CR EC 85 CC]	* *	3743		CC	00 111111 2010
		[REVIEW: 99]					
м	MIL-PRF-19500/608D	Semiconductor Device, Diode, Silicon, Schottky, Power Rectifier, Common Cathode, Common	A	5961		CC	08-MAR-2010
141	WILE-I KI -1/300/000D	Anode Center Tap, Doubler, Types 1N6660, 1N6660CCT1, 1N6660R, 1N6660CAT1, and	11	3701		CC	00-WITH-2010
		1N6660DT1, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR					
		AS MC MI OS SMI					
M	MIL-M-38510/762B NOT 1	Microcircuits, Digital, Advanced Cmos, Multiplexers, Monolithic Silicon, Positive Logic [CUST:	Δ	5962		CC	09-MAR-2010
141	WILE-WI-30310/702B 1101 1	CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	11	3702		CC	07-WITH-2010
N/	MIL CTD 992H			5062		CC	26 EED 2010
	MIL-STD-883H	Microcircuits [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AR AS CG EA MC MI SH SM]		5962		CC	26-FEB-2010
M	MIL-DTL-22641/16H	Adapters, Coaxial to Waveguide (Series N to Waveguide Class 1) [CUST: CR EC 85 CC]	A	5985		CC	09-MAR-2010
		[REVIEW: 99 AR AS GL MI OS]					
M	MIL-DTL-22641/20D	Adapters, Coaxial to Waveguide (Series SMA to Waveguide - Class 5) [CUST: CR EC 85 CC]	Α	5985		CC	09-MAR-2010
		[REVIEW: 99 AS MC MI OS]					
M	A-A-55563/23 NOT 1	Holder, Electrical Card, Metal Card Guide, Medium Profile, Center Mount, with Flared Entry, with 2	A	5998	/	CC	09-MAR-2010
1		Mounting Holes [CUST: CR EC CC]					
M	A-A-55563/24 NOT 1	Holder, Electrical Card, Metal Card Guide, Medium Profile, Center Mount, with Flared Entry, with 3	A	5998	/	CC	09-MAR-2010
٦		Mounting Holes [CUST: CR EC CC]				-	
N	MIL-PRF-8565/19	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS	A	6140		AS	05-MAR-2010
1		11] [REVIEW: 70 CC]	<b>^                                   </b>	0170		110	05-1 <b>111 IX-</b> 2010
N	MIL-PRF-8565/20	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 17-Ampere-Hour [CUST: AS	Α.	6140		AS	05-MAR-2010
1	MILE-I IXI -0303/20	11] [REVIEW: 70 CC]	l^	0140		110	05-181AA-2010
1.4	A A 50442 NOT 2			6240	,	TC	00 MAP 2010
M	A-A-50443 NOT 2	Lamp, Incandescent, T-8, Bayonet Candelabra, Double Contact [CUST: CR4 SH 99 IS] [REVIEW:	A	6240	/	IS	09-MAR-2010
		[71]				**	00 37:5
	A-A-50449 NOT 2	Lamp, Incandescent, A-19, Medium Screw [CUST: CR4 SH 99 IS] [REVIEW: 71]	A		/	IS	09-MAR-2010
M	A-A-59778A	Signal Generator 10 MHZ to 50 GHZ [CUST: 84]	A	6625	/	84	12-MAR-2010
M	MIL-DTL-64159A	Camouflage Coating, Water Dispersible Aliphatic Polyurethane. Chemical Agent Resistant [CUST:	Α	8010		MR	03-MAR-2010
		Camouflage Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant [CUST: MR SH 11] [REVIEW: 84 99 AS CG FAS MD1 MI]	•				
М	A-A-52474B	Electrocoating Primer [CUST: AT]	A	8010	/	AT	01-MAR-2010
1					,		
IVI	MIL-PRF-11264F	Container: Shipping, Reusable-for Tank-Automotive Engines, Transmissions, Differentials, Transfers, Final Drives, Drive Axles, and Similar Assemblies [CUST: AT MC 11] [REVIEW: 84 99]	A	8145		AT	02-MAR-2010
1		Transfers, Final Drives, Drive Axies, and Similar Assemblies [CUST: AT MC 11] [REVIEW: 84 99   SA SM]					
	MH DEE 11/0/2015	_		0.455		***	023715 50:-
1	MIL-DTL-11484/224B	Lapel Button, Air Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A			IH	03-MAR-2010
M	MIL-DTL-11484/265C	Lapel Button, Meritorious Civilian Service Award, Inspector General, Department of Defense	A	8455		IH	10-MAR-2010
1		[CUST: IH] [REVIEW: CT]					
M	MIL-DTL-11484/313B	Lapel Button, IRAQ Campaign Medal [CUST: IH NU 11] [REVIEW: CT MC]	Α	8455		IH	10-MAR-2010
	MIL-DTL-11589/357D	Ribbon, Commissioned Officers Association, U.S. Public Health Service [CUST: IH] [REVIEW:		8455		IH	03-MAR-2010
		CT]	•				55 5 5 1 1 1 1 2 5 1 0
N	MIL-DTL-11589/633	Ribbon, Superior Service Medal, Director of National Intelligence [CUST: IH] [REVIEW: CT]	Α.	8455		IH	03-MAR-2010
l							
IN	MIL-DTL-11589/634	Ribbon, Exceptional Achievement Medal, Director of National Intelligence [CUST: IH] [REVIEW:	A	8455		IH	03-MAR-2010
l		CT]	١.	0.45-			
1	MIL-DTL-11589/635	Ribbon, Distinguished Service Medal, Director of National Intelligence [CUST: IH] [REVIEW: CT]	A			IH	10-MAR-2010
N	MIL-DTL-32347	Filled Wrap, Shelf Stable, for Operational Rations [CUST: GL SA 35] [REVIEW: FV MC MD QM	A	8940		GL	04-MAR-2010
L		[SS]	L		_		
_							

[55] 15-MAR-2010

#### ACTIVE SECTION

#### **ASSIST UPDATE**

ACTIVE SECTION	ASSIST UPDATE				
Z O C L S C C C C C C C C C C C C C C C C C		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
☐ DOCUMENT NUMBER  M MIL-PRF-46002D	DOCUMENT TITLE  Preservative Oil, Contact and Volatile Corrosion-Inhibited [CUST: AT OS 68] [REVIEW: 11 AR		9150	AT	DATE 20-JAN-2010
W WIE-I KI -40002B	GS MD SM]	11	7130	711	20-37111-2010
M MIL-PRF-83363D M QPL-83282-17 NOT 1	Grease, Transmission, Helicopter (NATO G-396) [CUST: AT AS 68 GS] [REVIEW: 11 MI] Hydraulic Fluid, Fire Resistant, Synthetic Hydrocarbon Base, Metric NATO Code Number H-537		9150 9150	68 AS	12-MAR-2010 02-MAR-2010
	(Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)				
M MIL-HDBK-510-1A M MIL-STD-961E(1) NOT 1	Aerospace Fuels Certification [CUST: 11] [REVIEW: 68]  Defense and Program-Unique Specifications Format and Content [CUST: AR SH 11 DH]  [REVIEW: 16 19 27 68 70 71 84 99 AS AT AV CC CF CR CT DCL DM DP DS FA FC GL GS IH		91GP STDZ	11 SO	08-FEB-2010 10-MAR-2010
M MIL-STD-962D(1) NOT 1	[REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU OS PS PT SA SM SS TD TE TM YD] [AMSC: D7500]  Defense Standards Format and Content [CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU	A	STDZ	SO	10-MAR-2010
M MIL-STD-967(1) NOT 1	OS PS PT SA SM SS TD TE TM YD] [AMSC: D7504]  Defense Handbooks Format and Content [CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 99 AS AT AV CC CE CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU OS PS PT SA SM SS TD TE TM YD] [AMSC: D7511]	A	STDZ	SO	10-MAR-2010

15-MAR-2010

# **INACTIVE SECTION**

# **ASSIST UPDATE**

INACTIVE SECTION	ASSIST UPDATE				
Z.		DISTRIBUTION			
LAST ACTION TO THE PROPERTY OF		E	∢	ACTY	
AC		ΙBΙ	RE	AC	
TS		TR	FSC/AREA	₹ ₩	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA PREP	DATE
M MIL-B-13501D NOT 3	Bearings and Bushings, Brass and Bronze, Machined or Formed [CUST: MI] [REVIEW: GS SM]	A	3120	MI	03-MAR-2010
M MIL-DTL-151F	Fans, Circulating, Ceiling, Refrigerated Space [CUST: CR4 SH IS] [REVIEW: CR]		4140	IS	02-MAR-2010
M MS9194C	Elbow, Tube - SAE-AMS5646, Boss, 90 Degrees [CUST: AS CC] [REVIEW: SA]	Α	4730	CC	16-FEB-2010
M MS9195B	Elbow, Tube - SAE-AMS5639, Boss, 45 Degrees [CUST: AS CC] [REVIEW: SA]	Α	4730	CC	16-FEB-2010
M MS9196B	Tee, Tube - SAE-AMS5646, Boss [CUST: AS CC] [REVIEW: SA]	A	4730	CC	16-FEB-2010
M MS9483C	Ferrule, Brazing, Tube Fitting-Cres SAE-AMS5646, Straight [CUST: AS CC] [REVIEW: SA]		4730	CC	16-FEB-2010
M MIL-PRF-22885/81C	Switches, Push Button, Illuminated, 5 Amperes, 1-Lamp, Dripproof [CUST: CR EC 85 CC]		5930	CC	01-MAR-2010
M MIL-DTL-13623E	Switch, Rotary: 28 Volt DC [CUST: AT CC]		5930	CC	22-FEB-2010
M MIL-I-49466 NOT 5	Insulator; Disks, Plates, and Washers General Specification for [CUST: MI] [REVIEW: GS]		5970	MI	03-MAR-2010 09-MAR-2010
M MIL-C-27072/37 NOT 7	Cable, Special Purpose, Electrical, Shielded; Type I, Style 1, 19 Conductors (No. 22 AWG) [CUST: MI]	A	6145	MI	09-MAK-2010
M MIL-DTL-49285/20A	Cable, Special Purpose, Electrical, Two Individually Shielded Pairs of 22 (7 X 30) AWG [CUST:	A	6145	CC	01-MAR-2010
	CR SH 85 CC] [RÉVIEW: 71 IS MI]				
M MIL-DTL-49285/21A	Cable, Special Purpose, Electrical, Three Individually Shielded Conductors of 22 (7 X 30) AWG	A	6145	CC	01-MAR-2010
M MIL-DTL-49285/22A	[CUST: CR SH 85 CC] [REVIEW: 71 IS MI] Cable, Special Purpose, Electrical, Twelve Individually Shielded Pairs of 22 (7 X 30) AWG [CUST:		6145	CC	01-MAR-2010
M MIL-D1L-49283/22A	CR SH 85 CC] [REVIEW: 71 IS MI]	A	0143	CC	01-MAK-2010
M MIL-DTL-49285/23A	Cable, Special Purpose, Electrical, Nine Individually Shielded Pairs of 22 (7 X 30) AWG [CUST:	A	6145	CC	01-MAR-2010
	CR SH 85 CC] [RÊVIEW: 71 IS MI]				
M MIL-DTL-49285/24A	Cable, Special Purpose, Electrical, Four Individually Shielded Pairs of 22 (7 X 28) AWG [CUST:	A	6145	CC	01-MAR-2010
M MIL-DTL-49285/25A	CR SH 85 CC] [REVIEW: 71 IS MI] Cable, Special Purpose, Electrical, Fifteen Individually Shielded Pairs of 20 (10 X 30) AWG [CUST:	Α.	61/15	CC	01-MAR-2010
WIL-DIL-47203/23A	CR SH 85 CC] [REVIEW: 71 IS MI]	A	0143	CC	01-1 <b>VIAK-</b> 2010
M MIL-DTL-49285/26A	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 16 (19 X 29) AWG [CUST: CR	Α	6145	CC	01-MAR-2010
	SH 85 CC] [REVIEW: 71 IS MI]				
M MIL-DTL-49285/28A	Cable, Special Purpose, Electrical, Two Pairs of 25 (7 X 33) AWG, One Pair Individually Shielded [CUST: CR SH 85 CC] [REVIEW: 71 IS MI]	A	6145	CC	01-MAR-2010
M MIL-DTL-49285/30A	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 20 (7 X 28) AWG [CUST: CR	A	6145	CC	01-MAR-2010
WI WIE DIE 47203/30/1	SH 85 CC] [REVIEW: 71 IS MI]	*	0145	cc	01 WH IR 2010
M MIL-DTL-49285/31A	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 22 (7 X 30) AWG [CUST: CR	A	6145	CC	01-MAR-2010
M. MC20110 NOT 2	SH 85 CC] [REVIEW: 71 IS MI]	١.	6150	) or	00 MAR 2010
M MS39119 NOT 3	Lead, Electrical, Braided Wire [CUST: MI 99] [REVIEW: 84 GS]		6150	MI	09-MAR-2010
M MIL-T-58097(3) NOT 5	Transmitters, Pressure, Helicopter, Voltage Ratio Type, General Specification for [CUST: AV] [REVIEW: GS]	A	6620	AV	03-MAR-2010
M MIL-I-58098A(1) NOT 3	Indicator, Pressure, Helicopter, Voltage Ratio Type, General Specification for [CUST: AV]	A	6620	AV	03-MAR-2010
	[REVIEW: GS]				
M MIL-I-58099(1) NOT 4	Indicator, Pressure, Helicopter, Voltage Ratio Type, General Specification for [CUST: AV] [REVIEW: GS]	A	6620	AV	03-MAR-2010
M MIL-T-58100 NOT 4	Transmitter, Pressure, Oil, Helicopter [CUST: AV] [REVIEW: GS]	A	6620	AV	03-MAR-2010
M MIL-S-47319A NOT 3	Steel, Bar, Billet and Forgings Cobalt-Free Maraging [CUST: MI] [REVIEW: IS]	A	9515	MI	03-MAR-2010
M MIL-N-46025B NOT 6	Nickel Bar, Flat Wire (Ribbon) and Strip (For Electronic Use) [CUST: MI] [REVIEW: IS]		9525	MI	03-MAR-2010
		1			

15-MAR-2010

# **CANCELED SECTION**

### **ASSIST UPDATE**

CANCELED SECTION	ASSIST UPDATE					
NOLUZE TS TO THE TOTAL T		DISTRIBUTION	FSC/AREA	Ł	PREP ACTY	
VATION DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PRE	DATE
M MS28897C NOT 2	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI Absolute 15 Microns, -65 Degrees F to +275 Degrees F (S/S by MIL-F-8815/3) [CUST: AV AS 71] [REVIEW: 84 99 CC MI]	A	1650		71	11-MAR-2010
M SAE-ARP891	Aluminum Alloy Tempers Through Electrical Conductivity Measurement (Eddy Current), Determination of (S/S by SAE-AMS2658) [CUST: AV AS 99]		4730		AS	03-MAR-2010
M ASTM-E514 M EIA-RS455.86	Water Penetration and Leakage Through Masonry (No S/S Document) [CUST: CR4 YD 99 IS] Fiber Optic Cable Jacket Shrinkage (S/S by TIA-455-86) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]		5620 60GP		IS CC	02-MAR-2010 16-FEB-2010
M A-A-50425 NOT 1	Cleaning Compound, Halogenated Hydrocarbon, for Oxygen System Components, Aerosol (Spot Cleaner) (No S/S Document) [CUST: EA AS 68]	A	6850	/	AS	03-MAR-2010
M TT-P-2756A NOT 1	Polyurethane Coating: Self-Priming Topcoat, Low Volatile Organic Compounds (VOC) Content (No S/S Document) [CUST: MR AS 99]	A	8010	/	AS	03-MAR-2010
M QPL-TT-P-2756-2 NOT 2	Polyurethane Coating: Self-Priming Topcoat, Low Volatile Organic Compounds (VOC) Content (No S/S Document)			/	AS	03-MAR-2010
M MIL-A-83376A NOT 3	Adhesive Bonded Metal Faced, Sandwich Structures, Acceptance Criteria (No S/S Document) [CUST: 11]	A	8040		11	17-MAR-2010
M MIL-A-87135 NOT 3 M SAE-AMS-S-5000	Adhesives, Non-Conductive, for Electronics Application (No S/S Document) [CUST: 11] Steel, Chrome-Nickel-Molybdenum (E4340) Bars and Reforging Stock (S/S by SAE-AMS6415 and SAE-AMS6484) [CUST: MR AS 11 IS]		8040 9510		11 AS	17-MAR-2010 03-MAR-2010
M SAE-AMS4010 M SAE-AMS-B-8964 M SAE-AMS4388	Aluminum Alloy Foil 1.2MN - 0.12CU (3003-H18) (No S/S Document) [CUST: MR AS 11] Beryllium Sheet and Plate, General Requirements for (S/S by SAE-AMS7902) [CUST: AS 11] Magnesium Alloy Extrusions 3.OTH - 1.5MN (HM31A-F) as Extruded (No S/S Document) [CUST:	Α	9535 9535 9540		AS AS AS	03-MAR-2010 03-MAR-2010 03-MAR-2010
M SAE-AMS4363	MR AS 11] Forgings, Magnesium Alloy 2.0Th - 0.78Mn (HM21A - T5) Precipitation Heat Treated (No S/S Document) [CUST: MR AS 11]	A	FORG		AS	03-MAR-2010
15-MAR-2010	1					

15-MAR-2010